

Opmerking	Gegevens inspreker (Uw organisatie)	Consultatiedocument
1	RUD Zeeland (reactie t.b.v. consultatie)	Omgevingsregeling
2	RUD Zeeland (reactie t.v.b. consultatie)	Omgevingsregeling
3	RUD Zeeland (aandachtspunt)	Omgevingsregeling
4	RUD Zeeland (reactie t.b.v. consultatie)	Omgevingsregeling
5	RUD Zeeland (reactie t.b.v. consultatie)	Omgevingsregeling
6	RUD Zeeland (reactie t.b.v. consultatie)	Omgevingsregeling
7	RUD Zeeland (reactie t.b.v. consultatie)	Omgevingsregeling
8		
9		
10		
11		
12		
13		

14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		

32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		

50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		
61		
62		
63		
64		
65		
66		
67		

68		
69		
70		
71		
72		
73		
74		
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		
85		

86		
87		
88		
89		
90		
91		
92		
93		
94		
95		
96		
97		
98		
99		
100		

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Onderdeel (artikelnummer, paginanummer of geometrische begrenzing)	Uw reactie In enkele kernwoorden
6.12	Niet duidelijk is welke richtlijn wordt bedoeld
8.28	Niet duidelijk is welke richtlijn wordt bedoeld
BIJLAGE XXII	Cumulatie berekening geluid gewijzigd
Artikel 7.32	OBM verdwijnt bij meer dan 3 windturbines.
	Ontgrondingen
Hoofdstuk 4, paragraaf 4.3	Externe veiligheid overige risicovolle inrichtingen
	Lucht
	Bodem

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

*Uw reactie
Opmerking (uitgebreid)*

In dit artikel wordt verwezen naar een Meet en beoordelingsrichtlijn B maar niet duidelijk is van wie deze richtlijn heeft opgesteld en waar deze te verkrijgen is

In dit artikel wordt verwezen naar een Meet en beoordelingsrichtlijn B maar niet duidelijk is van wie deze richtlijn heeft opgesteld en waar deze te verkrijgen is

Aan cumulatie berekening is geluid van windturbines toegevoegd

Het is niet duidelijk waar aan getoetst moet worden nu de OBM verdwijnt bij windparken met meer dan 3, maar minder dan 20 windturbines.

De reactie op de Omgevingsregeling voor de activiteit ontgronden wordt door het IPO vakberaad ontgroningen ingediend.

Onduidelijk is hoe de berekening van het plaatsgebonden risico uitgevoerd moet worden voor overige risicovolle inrichtingen, niet zijnde Seveso, windturbines of buisleidingen.

Vanuit de IPO werkgroep Lucht volgt een reactie.

Er volgt een reactie vanuit de IPO werkgroep.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Uw reactie
Tekstsuggestie

Aan artikel toevoegen: SBR-Richtlijn Trillingen: meet- en beoordelingsrichtlijnen Deel B, Hinder voor personen in gebouwen.

Aan artikel toevoegen: SBR-Richtlijn Trillingen: meet- en beoordelingsrichtlijnen Deel B, Hinder voor personen in gebouwen.

Geen suggestie wel aandachtspunt bij berekenen cumulatie

Graag de toetsingscriteria aangeven, zo als ze in de OBM genoemd waren: geluid slagschaduw en risicozonering.

Graag deze berekening helder maken en opnemen in de Omgevingsregeling.

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



INSTRUCTIES REACTIEFORMULIER

Algemene informatie

Gebruik dit formulier om uw reactie in te dienen. Wilt u een witregel / harde enter in excel gebruiken? Gebruik dan 'alt + enter'.

Beschrijving per kolom

Kolom B

Vul hier uw organisatie in.

Kolommen C

Vul hier in op welk document van de consultatie u wilt reageren.

U heeft de keuze uit:

- * omgevingsregeling
- * algemeen deel van de toelichting
- * toelichting artikelsgewijs
- * geometrie

Let op: kolom C maakt gebruik van een drop-down menu om de keuze te maken.

juiste document te selecteren. Ga in de cel staan en klik op het pijltje aan de rechterzijde om het menu te openen.

Kolommen D

Vul in op welk onderdeel van het document u wilt reageren.
De onderverdeling verschilt per document:

- * omgevingsregeling op artikelnummer
- * algemeen deel van de toelichting op paginanummer
- * toelichting artikelsgewijs op artikelnummer
- * geometrie op benaming geometrische begrenzing

Let op: kolom D kan alleen ingevuld worden als kolom C is ingevuld. U kan het artikel- of paginanummer zelf invullen, bij foute formulering vindt u de correcte vorm in het dropdown menu. Dit menu opent u door in de cel te gaan staan en op het pijltje aan de rechterzijde te klikken.

Kolom E

Vul hier de kern van uw reactie in (bij voorkeur 1 steekwoord).

Kolom F

Schrijf hier uw opmerking.

Kolom G

Schrijf hier uw tekstsuggestie naar aanleiding van de opmerking in kolom F.





et

ij
menu.
je aan

d).

king in



